

LED LINECARD



elincom

WE BELIEVE THAT ALL TECHNICAL DESIGNS CAN BE IMPROVED

COB & SMD POWER LED'S

- 0,06W ~ 550W
- 2700K ~ 6500K / Ra 70 ~ 97
- No binning necessary Mac Adam step 2 / 3
- Round light output image
- Extremely durable
- 230Vac COB
- Light modules
- Lighting COB white / amber / blue
- Horticulture COB white / red-blue



CITIZEN
Micro HumanTech



CILED
The Light Engine

LED DRIVERS:

- AC input and DC input
- 6W - 220W
- Constant voltage and constant current
- Programmable settings even with power off
- Emergency lighting led driver with integrated battery

FULHAM
Lighting... Global. Intelligent. Sustainable.



FULHAM
LUMO SERIES
Formerly Lumotech

ACCESSOIRES

- Heatsinks
- Reflectores
- Lenses
- COB connectors
- Wire connectors
- Waterproof LED connectors
- PCB LED drivers
- Current limiters
- High bay housing



AAG Stucchi

fixing elements, COB connectors, heatsinks
www.aagstucchi.it

Amphenol LTW

Waterproof connectors, cable glands
www.amphenolltw.com

Block

Current limiters
www.block.eu

Citizen

High power LEDs, COB LEDs, optics
<http://ce.citizen.co.jp/>

Furukawa

High power heatsinks, heatpipes
www.furukawaelectric.com

Fullham

LED drivers
www.lumotech.com

Ledil

LED lenses, reflectors
www.ledil.com

Mechatronix

Heatsinks, high bay
www.megatronxs.com

PEAK

PCB LED drivers
www.peak-electronics.de

PTR

LED connectors
www.ptr-messtechnik.de

TE Connectivity

COB LED holders
www.te.com

VS Optoelectronic

Leds, leddisplays, backlights
www.vs-optoelectronic.com



Elincom electronics BV
Klaverbaan 101
2908 KD Capelle aan den IJssel, The Netherlands
T: +31-(0)10- 26 40 270 info@elincom.nl
F: +31-(0)10- 26 40 275 www.elincom.nl
Chamber of Commerce Rotterdam: 02330227